

Validation of the MadAnalysis 5 implementation of ATLAS-SUSY-2013-11

Beranger Dumont (LPSC Grenoble)

beranger.dumont@lpsc.in2p3.fr

November 19, 2014

This note contains detailed validation material for the MadAnalysis 5 implementation [1] of the ATLAS search [2] for electroweak-inos and sleptons in the di-lepton channel at the 8 TeV run of the LHC. Event samples used for the validation were generated with Herwig++ 2.5.2, using as input the SLHA files provided on HepData [3]. 100000 events were generated for each of the nine benchmark points we consider below. Simulation of detector effects was done within MadAnalysis 1.1.11, using delphesMA5tune with a dedicated detector card [4]. In the case of chargino pair production ($pp \rightarrow \tilde{\chi}_1^+ \tilde{\chi}_1^-$), non-leptonic decays of the intermediate W boson were filtered to increase statistics. Similarly, for chargino-neutralino production ($pp \rightarrow \tilde{\chi}_1^\pm \tilde{\chi}_2^0$), non-leptonic decays of the intermediate Z boson were filtered. The cross sections for the benchmark points were taken from the HepData entry [3].

Pages 2–27 contain the cut flows of 9 benchmark points for chargino pair, chargino–neutralino and slepton pair production for the various signal regions considered in ATLAS-SUSY-2013-11 and given in [2] (Figs. 46 to 49). Moreover, on pages 28–30, we compare some kinematic distributions to the official ATLAS ones. Finally, the limit-setting procedure will be validated on page 31. Throughout, the notation for the benchmark points is $(m_i, m_{\tilde{\chi}_1^0})$, where m_i is either the chargino or the slepton mass, depending on the process considered. The $\tilde{\chi}_2^0$ and $\tilde{\chi}_1^\pm$ are assumed to be degenerate. In case of intermediate sleptons, $m_{\tilde{\ell}_R} = m_{\tilde{\ell}_L} = (m_{\tilde{\chi}_1^\pm} + m_{\tilde{\chi}_1^0})$ is assumed as in the experimental publication.

The present note corresponds to version 2 of the analysis (version 1 can be found at [5]), which corrects a bug affecting only the signal regions with $e - \mu$ final states. Some of the events with soft leptons were ignored, leading to slightly weaker exclusions, in particular for a small chargino–neutralino mass splitting.

References

- [1] Version 2, doi: 10.7484/INSPIREHEP.DATA.HLMR.T56W.2
- [2] <https://atlas.web.cern.ch/Atlas/GROUPS/PHYSICS/PAPERS/SUSY-2013-11/>
- [3] <http://hepdata.cedar.ac.uk/view/ins1286761>

[4] http://madanalysis.irmp.ucl.ac.be/attachment/wiki/PhysicsAnalysisDatabase/delphesMA5tune_card_ATLAS_dileptonSUSY.tcl

[5] Version 1, doi: 10.7484/INSPIREHEP.DATA.HLMR.T56W

1 Cutflows

1.1 $\tilde{\chi}_1^\pm \tilde{\chi}_1^\pm$ (100/0)

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (100/0) cutflow for SR WW_{aee}				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	12301.5	12301.5		
2 OS leptons	1666.5	-86.5%		
$m_{\ell\ell} > 20$ GeV	1637.5	-1.7%		
τ veto	1637.5	-0.0%		
ee leptons	392.9	-76.0%	402.1	402.1
jet veto	257.0	-34.6%	198.6	-50.6%
Z veto	215.9	-16.0%	165.0	-16.9%
$p_{T,\ell\ell} > 80$ GeV	35.3	-83.6%	28.0	-83.0%
$E_T^{\text{miss,rel}} > 80$ GeV	18.9	-46.5%	14.7	-47.5%
$m_{\ell\ell} < 120$ GeV	10.1	-46.6%	9.2	-37.4%

Table 1: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (100/0) in the Signal Region WW_{aee} .

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (100/0) cutflow for SR $WWae\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	12301.5	12301.5		
2 OS leptons	1666.5	-86.5%		
$m_{\ell\ell} > 20$ GeV	1637.5	-1.7%		
τ veto	1637.5	-0.0%		
$e\mu$ leptons	729.4	-55.5%	741.3	741.3
jet veto	474.9	-34.9%	370.1	-50.1%
$p_{T,\ell\ell} > 80$ GeV	75.8	-84.0%	57.0	-84.6%
$E_T^{\text{miss,rel}} > 80$ GeV	44.8	-40.9%	35.7	-37.4%
$m_{\ell\ell} < 120$ GeV	29.0	-35.3%	24.4	-31.7%

Table 2: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (100/0) in the Signal Region $WWae\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (100/0) cutflow for SR $WWa\mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	12301.5	12301.5		
2 OS leptons	1666.5	-86.5%		
$m_{\ell\ell} > 20$ GeV	1637.5	-1.7%		
τ veto	1637.5	-0.0%		
$\mu\mu$ leptons	515.1	-68.5%	521.6	521.6
jet veto	338.3	-34.3%	258.6	-50.4%
Z veto	281.6	-16.8%	212.0	-18.0%
$p_{T,\ell\ell} > 80$ GeV	46.7	-83.4%	35.3	-83.3%
$E_T^{\text{miss,rel}} > 80$ GeV	26.7	-42.8%	22.8	-35.4%
$m_{\ell\ell} < 120$ GeV	15.8	-40.8%	16.4	-28.1%

Table 3: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (100/0) in the Signal Region $WWa\mu\mu$.

1.2 $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (140/20)

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (140/20) cutflow for SR $WWb\bar{e}e$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	3375.0	3375.0		
2 OS leptons	545.8	-83.8%		
$m_{\ell\ell} > 20$ GeV	537.8	-1.5%		
τ veto	537.8	-0.0%		
ee leptons	132.4	-75.4%	139.6	139.6
jet veto	79.2	-40.2%	65.7	-52.9%
Z veto	67.3	-15.0%	55.5	-15.5%
$m_{T2} > 90$ GeV	5.3	-92.1%	4.5	-91.9%
$m_{\ell\ell} < 170$ GeV	4.3	-18.9%	3.9	-13.3%

Table 4: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (140/20) in the Signal Region $WWb\bar{e}e$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (140/20) cutflow for SR $WWb\bar{e}\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	3375.0	3375.0		
2 OS leptons	545.8	-83.8%		
$m_{\ell\ell} > 20$ GeV	537.8	-1.5%		
τ veto	537.8	-0.0%		
$e\mu$ leptons	239.9	-55.4%	253.8	253.8
jet veto	142.6	-40.6%	118.6	-53.3%
$m_{T2} > 90$ GeV	10.5	-92.6%	8.0	-93.3%
$m_{\ell\ell} < 170$ GeV	9.3	-11.4%	7.2	-10.0%

Table 5: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (140/20) in the Signal Region $WWb\bar{e}\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (140/20) cutflow for SR $WWb\mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	3375.0	3375.0		
2 OS leptons	545.8	-83.8%		
$m_{\ell\ell} > 20$ GeV	537.8	-1.5%		
τ veto	537.8	-0.0%		
$\mu\mu$ leptons	165.5	-69.2%	168.7	168.7
jet veto	100.7	-39.2%	78.2	-53.6%
Z veto	84.2	-16.4%	65.5	-16.2%
$m_{T2} > 90$ GeV	6.8	-91.9%	5.2	-92.1%
$m_{\ell\ell} < 170$ GeV	6.2	-8.8%	4.5	-13.5%

Table 6: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (140/20) in the Signal Region $WWb\mu\mu$.

1.3 $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (200/0)

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (200/0) cutflow for SR WW_{cee}				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	835.5	835.5		
2 OS leptons	155.4	-81.4%		
$m_{\ell\ell} > 20$ GeV	153.3	-1.4%		
τ veto	153.3	-0.0%		
ee leptons	39.0	-74.6%	40.9	40.9
jet veto	22.8	-41.5%	17.5	-57.2%
Z veto	19.9	-12.7%	15.5	-11.4%
$m_{T2} > 100$ GeV	3.1	-84.4%	2.4	-84.5%

Table 7: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (200/0) in the Signal Region WW_{cee} .

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (200/0) cutflow for SR $WW_{ce\mu}$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	835.5	835.5		
2 OS leptons	155.4	-81.4%		
$m_{\ell\ell} > 20$ GeV	153.3	-1.4%		
τ veto	153.3	-0.0%		
$e\mu$ leptons	67.6	-55.9%	71.1	71.1
jet veto	39.9	-41.0%	30.8	-56.7%
$m_{T2} > 100$ GeV	6.7	-83.2%	4.6	-85.1%

Table 8: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (200/0) in the Signal Region $WW_{ce\mu}$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (200/0) cutflow				
for SR $WWc\mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	835.5	835.5		
2 OS leptons	155.4	-81.4%		
$m_{\ell\ell} > 20$ GeV	153.3	-1.4%		
τ veto	153.3	-0.0%		
$\mu\mu$ leptons	46.7	-69.5%	46.3	46.3
jet veto	26.9	-42.4%	20.7	-55.3%
Z veto	23.4	-13.0%	18.0	-13.0%
$m_{T2} > 100$ GeV	3.7	-84.2%	2.8	-84.4%

Table 9: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (200/0) in the Signal Region $WWc\mu\mu$.

1.4 $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0)

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) cutflow				
for SR $m_{T2}^{120} ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	713.1	713.1		
2 OS leptons	186.6	-73.8%		
$m_{\ell\ell} > 20$ GeV	185.7	-0.5%		
τ veto	185.7	-0.0%		
ee leptons	49.5	-73.3%	52.0	52.0
jet veto	26.1	-47.3%	22.4	-56.9%
Z veto	24.7	-5.4%	21.2	-5.4%
$m_{T2} > 120$ GeV	11.5	-53.4%	9.4	-55.7%

Table 10: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) in the Signal Region $m_{T2}^{120} ee$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) cutflow				
for SR $m_{T2}^{120} e\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	713.1	713.1		
2 OS leptons	186.6	-73.8%		
$m_{\ell\ell} > 20$ GeV	185.7	-0.5%		
τ veto	185.7	-0.0%		
$e\mu$ leptons	83.2	-55.2%	77.7	77.7
jet veto	43.5	-47.7%	32.4	-58.3%
$m_{T2} > 120$ GeV	20.4	-53.1%	14.7	-54.6%

Table 11: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) in the Signal Region $m_{T2}^{120} e\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) cutflow				
for SR $m_{T2}^{120} \mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	713.1	713.1		
2 OS leptons	186.6	-73.8%		
$m_{\ell\ell} > 20$ GeV	185.7	-0.5%		
τ veto	185.7	-0.0%		
$\mu\mu$ leptons	53.0	-71.5%	47.8	47.8
jet veto	28.1	-47.0%	20.7	-56.7%
Z veto	26.8	-4.6%	19.3	-6.8%
$m_{T2} > 120$ GeV	12.2	-54.5%	8.7	-54.9%

Table 12: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) in the Signal Region $m_{T2}^{120} \mu\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) cutflow				
for SR $m_{T2}^{150} ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	713.1	713.1		
2 OS leptons	186.6	-73.8%		
$m_{\ell\ell} > 20$ GeV	185.7	-0.5%		
τ veto	185.7	-0.0%		
ee leptons	49.5	-73.3%	52.0	52.0
jet veto	26.1	-47.3%	22.4	-56.9%
Z veto	24.7	-5.4%	21.2	-5.4%
$m_{T2} > 150$ GeV	8.0	-67.6%	6.2	-70.8%

Table 13: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) in the Signal Region $m_{T2}^{150} ee$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) cutflow				
for SR $m_{T2}^{150} e\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	713.1	713.1		
2 OS leptons	186.6	-73.8%		
$m_{\ell\ell} > 20$ GeV	185.7	-0.5%		
τ veto	185.7	-0.0%		
$e\mu$ leptons	83.2	-55.2%	77.7	77.7
jet veto	43.5	-47.7%	32.4	-58.3%
$m_{T2} > 150$ GeV	13.9	-68.0%	10.1	-68.8%

Table 14: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) in the Signal Region $m_{T2}^{150} e\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) cutflow				
for SR $m_{T2}^{150} \mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	713.1	713.1		
2 OS leptons	186.6	-73.8%		
$m_{\ell\ell} > 20$ GeV	185.7	-0.5%		
τ veto	185.7	-0.0%		
$\mu\mu$ leptons	53.0	-71.5%	47.8	47.8
jet veto	28.1	-47.0%	20.7	-56.7%
Z veto	26.8	-4.6%	19.3	-6.8%
$m_{T2} > 150$ GeV	8.3	-69.0%	5.7	-70.5%

Table 15: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) in the Signal Region $m_{T2}^{150} \mu\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) cutflow for SR $m_{T2}^{90} ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	713.1	713.1		
2 OS leptons	186.6	-73.8%		
$m_{\ell\ell} > 20$ GeV	185.7	-0.5%		
τ veto	185.7	-0.0%		
ee leptons	49.5	-73.3%	52.0	52.0
jet veto	26.1	-47.3%	22.4	-56.9%
Z veto	24.7	-5.4%	21.2	-5.4%
$m_{T2} > 90$ GeV	14.6	-40.9%	12.7	-40.1%

Table 16: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) in the Signal Region $m_{T2}^{90} ee$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) cutflow for SR $m_{T2}^{90} e\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	713.1	713.1		
2 OS leptons	186.6	-73.8%		
$m_{\ell\ell} > 20$ GeV	185.7	-0.5%		
τ veto	185.7	-0.0%		
$e\mu$ leptons	83.2	-55.2%	77.7	77.7
jet veto	43.5	-47.7%	32.4	-58.3%
$m_{T2} > 90$ GeV	26.5	-39.1%	19.1	-41.0%

Table 17: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) in the Signal Region $m_{T2}^{90} e\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) cutflow				
for SR $m_{T2}^{90} \mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	713.1	713.1		
2 OS leptons	186.6	-73.8%		
$m_{\ell\ell} > 20$ GeV	185.7	-0.5%		
τ veto	185.7	-0.0%		
$\mu\mu$ leptons	53.0	-71.5%	47.8	47.8
jet veto	28.1	-47.0%	20.7	-56.7%
Z veto	26.8	-4.6%	19.3	-6.8%
$m_{T2} > 90$ GeV	16.2	-39.6%	11.5	-40.4%

Table 18: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (350/0) in the Signal Region $m_{T2}^{90} \mu\mu$.

1.5 $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75)

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) cutflow for SR $m_{T2}^{120} ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	282.5	282.5		
2 OS leptons	77.4	-72.6%		
$m_{\ell\ell} > 20$ GeV	77.2	-0.3%		
τ veto	77.2	-0.0%		
ee leptons	21.4	-72.3%	20.5	20.5
jet veto	10.7	-50.0%	8.3	-59.5%
Z veto	10.4	-2.8%	7.8	-6.0%
$m_{T2} > 120$ GeV	5.4	-48.1%	3.8	-51.3%

Table 19: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) in the Signal Region $m_{T2}^{120} ee$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) cutflow for SR $m_{T2}^{120} e\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	282.5	282.5		
2 OS leptons	77.4	-72.6%		
$m_{\ell\ell} > 20$ GeV	77.2	-0.3%		
τ veto	77.2	-0.0%		
$e\mu$ leptons	34.1	-55.8%	31.3	31.3
jet veto	17.3	-49.3%	12.3	-60.7%
$m_{T2} > 120$ GeV	9.4	-45.7%	6.3	-48.8%

Table 20: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) in the Signal Region $m_{T2}^{120} e\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) cutflow				
for SR $m_{T2}^{120} \mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	282.5	282.5		
2 OS leptons	77.4	-72.6%		
$m_{\ell\ell} > 20$ GeV	77.2	-0.3%		
τ veto	77.2	-0.0%		
$\mu\mu$ leptons	21.8	-71.8%	19.9	19.9
jet veto	11.3	-48.2%	8.0	-59.8%
Z veto	10.9	-3.5%	7.7	-3.7%
$m_{T2} > 120$ GeV	5.7	-47.7%	3.9	-49.4%

Table 21: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) in the Signal Region $m_{T2}^{120} \mu\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) cutflow				
for SR $m_{T2}^{150} ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	282.5	282.5		
2 OS leptons	77.4	-72.6%		
$m_{\ell\ell} > 20$ GeV	77.2	-0.3%		
τ veto	77.2	-0.0%		
ee leptons	21.4	-72.3%	20.5	20.5
jet veto	10.7	-50.0%	8.3	-59.5%
Z veto	10.4	-2.8%	7.8	-6.0%
$m_{T2} > 150$ GeV	4.0	-61.5%	2.7	-65.4%

Table 22: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) in the Signal Region $m_{T2}^{150} ee$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^- (\text{slep}) (425/75)$ cutflow for SR $m_{T2}^{150} e\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	282.5	282.5		
2 OS leptons	77.4	-72.6%		
$m_{\ell\ell} > 20$ GeV	77.2	-0.3%		
τ veto	77.2	-0.0%		
$e\mu$ leptons	34.1	-55.8%	31.3	31.3
jet veto	17.3	-49.3%	12.3	-60.7%
$m_{T2} > 150$ GeV	7.1	-59.0%	4.6	-62.6%

Table 23: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^- (\text{slep}) (425/75)$ in the Signal Region $m_{T2}^{150} e\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^- (\text{slep}) (425/75)$ cutflow for SR $m_{T2}^{150} \mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	282.5	282.5		
2 OS leptons	77.4	-72.6%		
$m_{\ell\ell} > 20$ GeV	77.2	-0.3%		
τ veto	77.2	-0.0%		
$\mu\mu$ leptons	21.8	-71.8%	19.9	19.9
jet veto	11.3	-48.2%	8.0	-59.8%
Z veto	10.9	-3.5%	7.7	-3.7%
$m_{T2} > 150$ GeV	4.2	-61.5%	3.0	-61.0%

Table 24: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^- (\text{slep}) (425/75)$ in the Signal Region $m_{T2}^{150} \mu\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) cutflow for SR $m_{T2}^{90} ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	282.5	282.5		
2 OS leptons	77.4	-72.6%		
$m_{\ell\ell} > 20$ GeV	77.2	-0.3%		
τ veto	77.2	-0.0%		
ee leptons	21.4	-72.3%	20.5	20.5
jet veto	10.7	-50.0%	8.3	-59.5%
Z veto	10.4	-2.8%	7.8	-6.0%
$m_{T2} > 90$ GeV	6.7	-35.6%	4.8	-38.5%

Table 25: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) in the Signal Region $m_{T2}^{90} ee$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) cutflow for SR $m_{T2}^{90} e\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	282.5	282.5		
2 OS leptons	77.4	-72.6%		
$m_{\ell\ell} > 20$ GeV	77.2	-0.3%		
τ veto	77.2	-0.0%		
$e\mu$ leptons	34.1	-55.8%	31.3	31.3
jet veto	17.3	-49.3%	12.3	-60.7%
$m_{T2} > 90$ GeV	11.6	-32.9%	7.9	-35.8%

Table 26: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) in the Signal Region $m_{T2}^{90} e\mu$.

$\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) cutflow for SR $m_{T2}^{90} \mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	282.5	282.5		
2 OS leptons	77.4	-72.6%		
$m_{\ell\ell} > 20$ GeV	77.2	-0.3%		
τ veto	77.2	-0.0%		
$\mu\mu$ leptons	21.8	-71.8%	19.9	19.9
jet veto	11.3	-48.2%	8.0	-59.8%
Z veto	10.9	-3.5%	7.7	-3.7%
$m_{T2} > 90$ GeV	7.1	-34.9%	4.9	-36.4%

Table 27: Cutflow for the benchmark point $\tilde{\chi}_1^+ \tilde{\chi}_1^-$ (slep) (425/75) in the Signal Region $m_{T2}^{90} \mu\mu$.

1.6 $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (250/0)

$\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (250/0) cutflow				
for SR <i>Zjetsee</i>				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	661.4	661.4		
2 OS leptons	184.5	-72.1%		
$m_{\ell\ell} > 20$ GeV	184.3	-0.1%		
τ veto	184.3	-0.0%		
ee leptons	83.4	-54.7%	63.2	63.2
≥ 2 central light jets	49.2	-41.0%	48.7	-22.9%
b and forward jet veto	40.3	-18.1%	36.8	-24.4%
Z window	36.2	-10.2%	35.5	-3.5%
$p_{T,\ell\ell} > 80$ GeV	28.2	-22.1%	27.4	-22.8%
$E_T^{\text{miss,rel}} > 80$ GeV	15.2	-46.1%	12.5	-54.4%
$0.3 < \Delta R_{\ell\ell} < 1.5$	11.2	-26.3%	9.6	-23.2%
$50 < m_{jj} < 100$ GeV	6.9	-38.4%	6.1	-36.5%
$p_T(j_1, j_2) > 45$ GeV	2.4	-65.2%	2.9	-52.5%

Table 28: Cutflow for the benchmark point $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (250/0) in the Signal Region *Zjetsee*.

$\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (250/0) cutflow for SR $Z\text{jets}\mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	661.4	661.4		
2 OS leptons	184.5	-72.1%		
$m_{\ell\ell} > 20$ GeV	184.3	-0.1%		
τ veto	184.3	-0.0%		
$\mu\mu$ leptons	97.0	-47.4%	71.0	71.0
≥ 2 central light jets	57.5	-40.7%	54.6	-23.1%
b and forward jet veto	46.9	-18.4%	40.9	-25.1%
Z window	44.0	-6.2%	39.2	-4.2%
$p_{T,\ell\ell} > 80$ GeV	33.5	-23.9%	29.2	-25.5%
$E_T^{\text{miss,rel}} > 80$ GeV	17.7	-47.2%	14.7	-49.7%
$0.3 < \Delta R_{\ell\ell} < 1.5$	12.8	-27.7%	10.2	-30.6%
$50 < m_{jj} < 100$ GeV	8.0	-37.5%	6.6	-35.3%
$p_T(j_1, j_2) > 45$ GeV	2.8	-65.0%	3.5	-47.0%

Table 29: Cutflow for the benchmark point $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (250/0) in the Signal Region $Z\text{jets}\mu\mu$.

1.7 $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (350/50)

$\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (350/50) cutflow				
for SR Z jetsee				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	152.2	152.2		
2 OS leptons	47.0	-69.1%		
$m_{\ell\ell} > 20$ GeV	46.9	-0.2%		
τ veto	46.9	-0.0%		
ee leptons	21.9	-53.3%	16.3	16.3
≥ 2 central light jets	13.9	-36.5%	13.1	-19.6%
b and forward jet veto	11.2	-19.4%	9.8	-25.2%
Z window	10.0	-10.7%	9.4	-4.1%
$p_{T,\ell\ell} > 80$ GeV	9.0	-10.0%	8.2	-12.8%
$E_T^{\text{miss,rel}} > 80$ GeV	6.1	-32.2%	5.4	-34.1%
$0.3 < \Delta R_{\ell\ell} < 1.5$	5.2	-14.8%	4.6	-14.8%
$50 < m_{jj} < 100$ GeV	3.1	-40.4%	3.1	-32.6%
$p_T(j_1, j_2) > 45$ GeV	1.5	-51.6%	1.9	-38.7%

Table 30: Cutflow for the benchmark point $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (350/50) in the Signal Region Z jetsee.

$\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (350/50) cutflow				
for SR $Z\text{jets}\mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	152.2	152.2		
2 OS leptons	47.0	-69.1%		
$m_{\ell\ell} > 20$ GeV	46.9	-0.2%		
τ veto	46.9	-0.0%		
$\mu\mu$ leptons	24.2	-48.4%	16.4	16.4
≥ 2 central light jets	15.5	-36.0%	13.2	-19.5%
b and forward jet veto	12.5	-19.4%	9.5	-28.0%
Z window	11.7	-6.4%	9.1	-4.2%
$p_{T,\ell\ell} > 80$ GeV	10.2	-12.8%	8.0	-12.1%
$E_T^{\text{miss,rel}} > 80$ GeV	7.0	-31.4%	5.1	-36.3%
$0.3 < \Delta R_{\ell\ell} < 1.5$	5.9	-15.7%	4.2	-17.6%
$50 < m_{jj} < 100$ GeV	3.6	-39.0%	2.7	-35.7%
$p_T(j_1, j_2) > 45$ GeV	1.7	-52.8%	1.8	-33.3%

Table 31: Cutflow for the benchmark point $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ (350/50) in the Signal Region $Z\text{jets}\mu\mu$.

1.8 $\tilde{\ell}\tilde{\ell}$ (191/90)

$\tilde{\ell}\tilde{\ell}$ (191/90) cutflow				
for SR $m_{T2}^{120} ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	301.5	301.5		
2 OS leptons	179.5	-40.5%		
$m_{\ell\ell} > 20$ GeV	178.4	-0.6%		
τ veto	178.4	-0.0%		
ee leptons	85.0	-52.4%	135.4	135.4
jet veto	48.5	-42.9%	60.5	-55.3%
Z veto	45.3	-6.6%	55.7	-7.9%
$m_{T2} > 120$ GeV	5.5	-87.9%	8.0	-85.6%

Table 32: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (191/90) in the Signal Region $m_{T2}^{120} ee$.

$\tilde{\ell}\tilde{\ell}$ (191/90) cutflow				
for SR $m_{T2}^{120} \mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	301.5	301.5		
2 OS leptons	179.5	-40.5%		
$m_{\ell\ell} > 20$ GeV	178.4	-0.6%		
τ veto	178.4	-0.0%		
$\mu\mu$ leptons	93.4	-47.6%	147.8	147.8
jet veto	53.3	-42.9%	64.7	-56.2%
Z veto	49.6	-6.9%	60.0	-7.3%
$m_{T2} > 120$ GeV	6.6	-86.7%	8.5	-85.8%

Table 33: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (191/90) in the Signal Region $m_{T2}^{120} \mu\mu$.

$\tilde{\ell}\tilde{\ell}$ (191/90) cutflow				
for SR $m_{T2}^{150}ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	301.5	301.5		
2 OS leptons	179.5	-40.5%		
$m_{\ell\ell} > 20$ GeV	178.4	-0.6%		
τ veto	178.4	-0.0%		
ee leptons	85.0	-52.4%	135.4	135.4
jet veto	48.5	-42.9%	60.5	-55.3%
Z veto	45.3	-6.6%	55.7	-7.9%
$m_{T2} > 150$ GeV	0.1	-99.8%	0.6	-98.9%

Table 34: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (191/90) in the Signal Region $m_{T2}^{150}ee$.

$\tilde{\ell}\tilde{\ell}$ (191/90) cutflow				
for SR $m_{T2}^{150}\mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	301.5	301.5		
2 OS leptons	179.5	-40.5%		
$m_{\ell\ell} > 20$ GeV	178.4	-0.6%		
τ veto	178.4	-0.0%		
$\mu\mu$ leptons	93.4	-47.6%	147.8	147.8
jet veto	53.3	-42.9%	64.7	-56.2%
Z veto	49.6	-6.9%	60.0	-7.3%
$m_{T2} > 150$ GeV	0.3	-99.4%	1.1	-98.2%

Table 35: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (191/90) in the Signal Region $m_{T2}^{150}\mu\mu$.

$\tilde{\ell}\tilde{\ell}$ (191/90) cutflow				
for SR $m_{T2}^{90}ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	301.5	301.5		
2 OS leptons	179.5	-40.5%		
$m_{\ell\ell} > 20$ GeV	178.4	-0.6%		
τ veto	178.4	-0.0%		
ee leptons	85.0	-52.4%	135.4	135.4
jet veto	48.5	-42.9%	60.5	-55.3%
Z veto	45.3	-6.6%	55.7	-7.9%
$m_{T2} > 90$ GeV	15.4	-66.0%	21.8	-60.9%

Table 36: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (191/90) in the Signal Region $m_{T2}^{90}ee$.

$\tilde{\ell}\tilde{\ell}$ (191/90) cutflow				
for SR $m_{T2}^{90}\mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	301.5	301.5		
2 OS leptons	179.5	-40.5%		
$m_{\ell\ell} > 20$ GeV	178.4	-0.6%		
τ veto	178.4	-0.0%		
$\mu\mu$ leptons	93.4	-47.6%	147.8	147.8
jet veto	53.3	-42.9%	64.7	-56.2%
Z veto	49.6	-6.9%	60.0	-7.3%
$m_{T2} > 90$ GeV	17.5	-64.7%	21.7	-63.8%

Table 37: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (191/90) in the Signal Region $m_{T2}^{90}\mu\mu$.

1.9 $\tilde{\ell}\tilde{\ell}$ (250/10)

$\tilde{\ell}\tilde{\ell}$ (250/10) cutflow for SR $m_{T2}^{120} ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	96.8	96.8		
2 OS leptons	65.3	-32.5%		
$m_{\ell\ell} > 20$ GeV	65.1	-0.3%		
τ veto	65.1	-0.0%		
ee leptons	32.1	-50.7%	51.2	51.2
jet veto	17.5	-45.5%	19.4	-62.1%
Z veto	16.9	-3.4%	18.7	-3.6%
$m_{T2} > 120$ GeV	8.2	-51.5%	9.1	-51.3%

Table 38: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (250/10) in the Signal Region $m_{T2}^{120} ee$.

$\tilde{\ell}\tilde{\ell}$ (250/10) cutflow for SR $m_{T2}^{120} \mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	96.8	96.8		
2 OS leptons	65.3	-32.5%		
$m_{\ell\ell} > 20$ GeV	65.1	-0.3%		
τ veto	65.1	-0.0%		
$\mu\mu$ leptons	33.0	-49.3%	47.0	47.0
jet veto	17.8	-46.1%	19.8	-57.9%
Z veto	17.2	-3.4%	19.3	-2.5%
$m_{T2} > 120$ GeV	8.5	-50.6%	10.0	-48.2%

Table 39: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (250/10) in the Signal Region $m_{T2}^{120} \mu\mu$.

$\tilde{\ell}\tilde{\ell}$ (250/10) cutflow				
for SR $m_{T2}^{150}ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	96.8	96.8		
2 OS leptons	65.3	-32.5%		
$m_{\ell\ell} > 20$ GeV	65.1	-0.3%		
τ veto	65.1	-0.0%		
ee leptons	32.1	-50.7%	51.2	51.2
jet veto	17.5	-45.5%	19.4	-62.1%
Z veto	16.9	-3.4%	18.7	-3.6%
$m_{T2} > 150$ GeV	5.9	-65.1%	7.0	-62.6%

Table 40: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (250/10) in the Signal Region $m_{T2}^{150}ee$.

$\tilde{\ell}\tilde{\ell}$ (250/10) cutflow				
for SR $m_{T2}^{150}\mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	96.8	96.8		
2 OS leptons	65.3	-32.5%		
$m_{\ell\ell} > 20$ GeV	65.1	-0.3%		
τ veto	65.1	-0.0%		
$\mu\mu$ leptons	33.0	-49.3%	47.0	47.0
jet veto	17.8	-46.1%	19.8	-57.9%
Z veto	17.2	-3.4%	19.3	-2.5%
$m_{T2} > 150$ GeV	6.1	-64.5%	7.4	-61.7%

Table 41: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (250/10) in the Signal Region $m_{T2}^{150}\mu\mu$.

$\tilde{\ell}\tilde{\ell}$ (250/10) cutflow				
for SR $m_{T2}^{90}ee$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	96.8	96.8		
2 OS leptons	65.3	-32.5%		
$m_{\ell\ell} > 20$ GeV	65.1	-0.3%		
τ veto	65.1	-0.0%		
ee leptons	32.1	-50.7%	51.2	51.2
jet veto	17.5	-45.5%	19.4	-62.1%
Z veto	16.9	-3.4%	18.7	-3.6%
$m_{T2} > 90$ GeV	10.5	-37.9%	11.7	-37.4%

Table 42: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (250/10) in the Signal Region $m_{T2}^{90}ee$.

$\tilde{\ell}\tilde{\ell}$ (250/10) cutflow				
for SR $m_{T2}^{90}\mu\mu$				
cut	# events (scaled to σ and \mathcal{L})	relative change	# events (official)	relative change (official)
Initial number of events	96.8	96.8		
2 OS leptons	65.3	-32.5%		
$m_{\ell\ell} > 20$ GeV	65.1	-0.3%		
τ veto	65.1	-0.0%		
$\mu\mu$ leptons	33.0	-49.3%	47.0	47.0
jet veto	17.8	-46.1%	19.8	-57.9%
Z veto	17.2	-3.4%	19.3	-2.5%
$m_{T2} > 90$ GeV	10.8	-37.2%	12.3	-36.3%

Table 43: Cutflow for the benchmark point $\tilde{\ell}\tilde{\ell}$ (250/10) in the Signal Region $m_{T2}^{90}\mu\mu$.

2 Histograms

In the histograms below, the solid lines correspond to the results from the MadAnalysis 5 implementation, while the dashed lines are the official ATLAS results. They correspond to Figs. 3, 4 and 35 from ATLAS-SUSY-2013-11.




Figure 1: SF and DF samples that satisfy all cuts of the WWa signal region except the ones on $m_{\ell\ell}$ (for the first row), and the ones on $m_{\ell\ell}$ and on $E_T^{\text{miss,rel}}$ (for the bottom row). Corresponds to Fig. 3 of ATLAS-SUSY-2013-11.




Figure 2: SF and DF samples that satisfy all cuts of the m_{T2} signal regions except the ones on m_{T2} (for the first row), and satisfy all cuts of the Zjets signal regions except the ones on $E_T^{\text{miss,rel}}$ (for the bottom row). Corresponds to Fig. 4 of ATLAS-SUSY-2013-11.




Figure 3: SF and DF samples that satisfy all cuts of the m_{T2} signal regions except the ones on m_{T2} . Corresponds to the auxiliary Fig. 35 of ATLAS-SUSY-2013-11.

3 Limit-setting procedure

Limits are derived using `exclusion_CLs.py`. The 95% CL upper limits on the model cross section obtained from the code are compared to the ATLAS value [3] for the nine benchmark points considered above, as well as the best expected signal region and the $(1-CL_s)\%$ value for each benchmark point. “C1C1” and “C1N2” correspond to chargino pair production and chargino-neutralino production, respectively, with possible intermediate sleptons (“slep”) or not (“noslep”). For direct slepton production, the name of the benchmark point starts with “slep”.

Limit plots are also reproduced in Fig. 4, for chargino pair production followed by W^\pm (left) or intermediate slepton (right) decays. On the left plot, the agreement is good in the low-mass region, while for $m_{\tilde{\chi}^\pm} \geq 190$ GeV, where the exclusion is driven by SR-WW $_c$, one obtains a weaker (more conservative) bound from MA5. The right plot shows a good agreement with ATLAS results. Considering the WW signal regions in addition to the m_{T2} ones, used by ATLAS to constrain this simplified model, one obtains a significantly improved exclusion in the low-mass region. This is driven by SR-WW $_a$, a signal region sensitive to smaller mass differences than SR- m_{T2}^{90} .

benchmark point	xs95 MA5	xs95 ATLAS	bestSR MA5	bestSR ATLAS
C1C1_noslep_100_0	4.30 pb	4.61 pb	SR-WW $_a$	SR-WW $_a$
C1C1_noslep_140_20	1.74 pb	1.58 pb	SR-WW $_a$	SR-WW $_b$
C1C1_noslep_200_0	0.63 pb	0.46 pb	SR-WW $_c$	SR-WW $_c$
C1C1_slep_350_0	0.0131 pb	0.0104 pb	SR- $m_{T2,120}$	SR- $m_{T2,120}$
C1C1_slep_425_75	0.0113 pb	0.0100 pb	SR- $m_{T2,120}$	SR- $m_{T2,150}$
C1N2_250_0	0.26 pb	0.18 pb	SR-Zjets	SR-Zjets
C1N2_350_50	0.097 pb	0.069 pb	SR-Zjets	SR-Zjets
slep_191_90	3.65 fb	~4.3 fb	SR-WW $_c$	SR- $m_{T2,90/120}$
slep_250_10	2.16 fb	~1.26 fb	SR- $m_{T2,120}$	SR- $m_{T2,120/150}$

benchmark point	(1-CL $_s$)% MA5	(1-CL $_s$)% ATLAS
C1C1_noslep_100_0	99.0%	98%
C1C1_noslep_140_20	92.7%	95%
C1C1_noslep_200_0	76.7%	91%
C1C1_slep_350_0	100.0%	99.997%
C1C1_slep_425_75	98.2%	97%
C1N2_250_0	98.0%	100%
C1N2_350_50	89.1%	96%
slep_191_90	100.0%	~99.9995%
slep_250_10	100.0%	~99.999%




Figure 4: Left: 95% CL upper limit on $\mu = \sigma/\sigma_{\text{SUSY}}$ as a function of the chargino mass for the simplified model $pp \rightarrow \tilde{\chi}_1^+ \tilde{\chi}_1^-$ followed by $\tilde{\chi}_1^\pm \rightarrow W^\pm \tilde{\chi}_1^0$, assuming a massless LSP. Corresponds to Fig. 6b from [2]. Right: limit at 95% CL in the chargino–neutralino mass plane for the simplified model $pp \rightarrow \tilde{\chi}_1^+ \tilde{\chi}_1^-$ with intermediate left-handed slepton decay. Corresponds to Fig. 5 from [2].