

Signal	Mass	Pt	Ias	TOF	mass cut	Pred	observ	eff	XSec Th	XSec Exp	XSec Obs	Significance
<i>Gluino_{f10}</i>	300	195	0.175	/	170	6.340 ± 0.635	10	0.129	6.6E+01	4.4E-03	6.9E-03	1.30
<i>Gluino_{f10}</i>	400	190	0.150	/	230	8.420 ± 0.845	15	0.207	1.1E+01	3.1E-03	6.0E-03	1.95
<i>Gluino_{f10}</i>	500	195	0.350	/	300	0.032 ± 0.004	0	0.199	2.5E+00	9.0E-04	8.6E-04	0.00
<i>Gluino_{f10}</i>	600	120	0.100	/	360	8.910 ± 0.897	15	0.263	6.9E-01	2.5E-03	4.5E-03	1.77
<i>Gluino_{f10}</i>	700	125	0.200	/	420	0.251 ± 0.026	1	0.245	2.1E-01	8.9E-04	1.3E-03	1.12
<i>Gluino_{f10}</i>	800	125	0.350	/	470	0.006 ± 0.001	0	0.223	7.2E-02	7.6E-04	7.5E-04	0.00
<i>Gluino_{f10}</i>	900	130	0.275	/	520	0.015 ± 0.002	0	0.213	2.6E-02	8.1E-04	8.0E-04	0.00
<i>Gluino_{f10}</i>	1000	135	0.300	/	560	0.005 ± 0.001	0	0.189	9.9E-03	9.0E-04	8.9E-04	0.00
<i>Gluino_{f10}</i>	1100	140	0.100	/	600	0.488 ± 0.053	1	0.167	3.9E-03	1.5E-03	1.9E-03	0.64
<i>Gluino_{f10}</i>	1200	145	0.100	/	630	0.360 ± 0.040	1	0.142	1.5E-03	1.7E-03	2.2E-03	0.87
<i>Gluino_{f10}</i>	1300	145	0.175	/	640	0.040 ± 0.004	0	0.116	6.2E-04	1.6E-03	1.5E-03	0.00
<i>Gluino_{f10}</i>	1400	175	0.200	/	630	0.024 ± 0.003	0	0.092	2.5E-04	1.7E-03	1.7E-03	0.00
<i>Gluino_{f10}</i>	1500	50	0.025	/	630	3.190 ± 0.372	7	0.071	1.0E-04	6.1E-03	1.2E-02	0.01
<i>GluinoN_{f10}</i>	300	190	0.175	/	180	6.440 ± 0.646	10	0.021	6.6E+01	2.7E-02	4.3E-02	1.25
<i>GluinoN_{f10}</i>	400	165	0.175	/	240	5.320 ± 0.534	8	0.040	1.1E+01	1.3E-02	1.9E-02	1.05
<i>GluinoN_{f10}</i>	500	195	0.350	/	300	0.032 ± 0.004	0	0.038	2.5E+00	4.7E-03	4.5E-03	0.00
<i>GluinoN_{f10}</i>	600	120	0.350	/	330	0.034 ± 0.004	0	0.051	6.9E-01	3.5E-03	3.3E-03	0.00
<i>GluinoN_{f10}</i>	700	120	0.175	/	380	0.772 ± 0.078	2	0.054	2.1E-01	5.1E-03	7.8E-03	1.16
<i>GluinoN_{f10}</i>	800	120	0.350	/	410	0.012 ± 0.001	0	0.051	7.2E-02	3.4E-03	3.3E-03	0.00
<i>GluinoN_{f10}</i>	900	120	0.350	/	410	0.012 ± 0.001	0	0.046	2.6E-02	3.7E-03	3.7E-03	0.00
<i>GluinoN_{f10}</i>	1000	125	0.025	/	420	62.900 ± 6.380	79	0.043	9.9E-03	4.2E-02	7.0E-02	1.51
<i>GluinoN_{f10}</i>	1100	130	0.050	/	490	8.570 ± 0.877	14	0.035	3.9E-03	1.8E-02	3.2E-02	1.62
<i>Gluino_{f50}</i>	300	170	0.200	/	170	4.940 ± 0.496	7	0.086	6.6E+01	5.9E-03	8.0E-03	0.85
<i>Gluino_{f50}</i>	400	165	0.175	/	240	5.320 ± 0.534	8	0.124	1.1E+01	4.2E-03	6.2E-03	1.05
<i>Gluino_{f50}</i>	500	195	0.350	/	300	0.032 ± 0.004	0	0.111	2.5E+00	1.6E-03	1.5E-03	0.00
<i>Gluino_{f50}</i>	600	195	0.350	/	360	0.019 ± 0.002	0	0.119	6.9E-01	1.5E-03	1.4E-03	0.00
<i>Gluino_{f50}</i>	700	125	0.025	/	420	62.900 ± 6.380	79	0.151	2.1E-01	1.2E-02	2.0E-02	1.51
<i>Gluino_{f50}</i>	800	125	0.350	/	470	0.006 ± 0.001	0	0.125	7.2E-02	1.4E-03	1.3E-03	0.00
<i>Gluino_{f50}</i>	900	130	0.325	/	520	0.005 ± 0.001	0	0.117	2.6E-02	1.5E-03	1.4E-03	0.00
<i>Gluino_{f50}</i>	1000	135	0.150	/	550	0.182 ± 0.019	0	0.107	9.9E-03	2.0E-03	1.7E-03	0.00
<i>Gluino_{f50}</i>	1100	135	0.350	/	590	0.001 ± 0.000	0	0.086	3.9E-03	1.9E-03	1.9E-03	0.00
<i>Gluino_{f50}</i>	1200	140	0.175	/	620	0.047 ± 0.005	0	0.075	1.5E-03	2.4E-03	2.3E-03	0.00
<i>Gluino_{f50}</i>	1300	140	0.225	/	620	0.015 ± 0.002	0	0.061	6.2E-04	2.8E-03	2.8E-03	0.00
<i>Gluino_{f50}</i>	1400	170	0.175	/	610	0.051 ± 0.006	0	0.048	2.5E-04	3.9E-03	3.6E-03	0.00
<i>Gluino_{f50}</i>	1500	50	0.025	/	610	4.460 ± 0.506	11	0.037	1.0E-04	1.3E-02	3.1E-02	0.01
<i>GluinoN_{f50}</i>	300	195	0.175	/	170	6.340 ± 0.635	10	0.011	6.6E+01	5.1E-02	8.0E-02	1.30
<i>GluinoN_{f50}</i>	400	165	0.175	/	240	5.320 ± 0.534	8	0.022	1.1E+01	2.3E-02	3.4E-02	1.05
<i>GluinoN_{f50}</i>	500	195	0.350	/	300	0.032 ± 0.004	0	0.021	2.5E+00	8.4E-03	8.0E-03	0.00
<i>GluinoN_{f50}</i>	600	115	0.325	/	320	0.055 ± 0.007	0	0.029	6.9E-01	6.3E-03	5.9E-03	0.00
<i>GluinoN_{f50}</i>	700	120	0.125	/	370	3.560 ± 0.358	7	0.032	2.1E-01	1.4E-02	2.5E-02	1.58
<i>GluinoN_{f50}</i>	800	120	0.325	/	400	0.020 ± 0.002	0	0.029	7.2E-02	6.0E-03	5.8E-03	0.00
<i>GluinoN_{f50}</i>	900	120	0.300	/	400	0.034 ± 0.004	0	0.028	2.6E-02	6.5E-03	6.2E-03	0.00
<i>GluinoN_{f50}</i>	1000	125	0.300	/	410	0.030 ± 0.003	0	0.023	9.9E-03	7.9E-03	7.6E-03	0.00
<i>GluinoN_{f50}</i>	1100	155	0.100	/	470	1.940 ± 0.198	6	0.019	3.9E-03	1.9E-02	4.2E-02	-1.00
<i>Gluino_{f100}</i>	300	185	0.150	/	130	21.500 ± 2.160	30	0.002	6.6E+01	6.6E-01	1.1E+00	1.56
<i>Gluino_{f100}</i>	400	175	0.175	/	210	6.370 ± 0.639	10	0.002	1.1E+01	2.7E-01	4.3E-01	1.28
<i>Gluino_{f100}</i>	500	195	0.350	/	120	0.055 ± 0.006	0	0.002	2.5E+00	7.7E-02	7.2E-02	0.00
<i>Gluino_{f100}</i>	600	120	0.125	/	360	4.120 ± 0.415	8	0.004	6.9E-01	1.2E-01	2.2E-01	1.65
<i>Gluino_{f100}</i>	700	120	0.225	/	380	0.249 ± 0.025	1	0.004	2.1E-01	5.1E-02	7.5E-02	1.13
<i>Gluino_{f100}</i>	800	125	0.025	/	410	72.300 ± 7.310	88	0.004	7.2E-02	5.5E-01	8.7E-01	1.35
<i>Gluino_{f100}</i>	900	135	0.325	/	490	0.006 ± 0.001	0	0.003	2.6E-02	5.7E-02	5.7E-02	0.00
<i>Gluino_{f100}</i>	1100	50	0.025	/	570	2.660 ± 0.452	3	0.001	3.9E-03	3.0E-01	3.2E-01	0.00
<i>Gluino_{f100}</i>	1500	50	0.025	/	590	6.300 ± 0.694	14	0.001	1.0E-04	6.8E-01	1.6E+00	0.00

Signal	Mass	Pt	Ias	TOF	mass cut	Pred	observ	eff	XSec Th	XSec Exp	XSec Obs	Significance
Stop	100	75	0.325	/	40	5.700 ± 0.656	5	0.060	3.9E+02	8.8E-03	8.0E-03	0.00
Stop	200	180	0.150	/	130	24.300 ± 2.430	36	0.062	1.2E+01	1.7E-02	3.3E-02	1.97
Stop	300	195	0.350	/	190	0.053 ± 0.006	0	0.104	1.2E+00	1.8E-03	1.7E-03	0.00
Stop	400	115	0.350	/	250	0.119 ± 0.015	0	0.227	2.1E-01	8.7E-04	7.8E-04	0.00
Stop	500	115	0.250	/	310	0.389 ± 0.040	1	0.290	4.8E-02	8.2E-04	1.1E-03	0.81
Stop	600	130	0.350	/	370	0.019 ± 0.002	0	0.279	1.3E-02	6.3E-04	6.1E-04	0.00
Stop	700	125	0.200	/	420	0.251 ± 0.026	1	0.316	4.0E-03	6.9E-04	1.0E-03	1.12
Stop	800	130	0.025	/	480	29.200 ± 3.000	44	0.344	1.3E-03	3.5E-03	7.0E-03	2.21
Stop	900	130	0.175	/	510	0.143 ± 0.015	1	0.329	4.7E-04	6.2E-04	1.0E-03	1.47
Stop	1000	140	0.225	/	550	0.030 ± 0.003	0	0.311	1.7E-04	5.7E-04	5.5E-04	0.00
StopN	100	75	0.325	/	40	5.700 ± 0.656	5	0.004	3.9E+02	1.4E-01	1.3E-01	0.00
StopN	200	145	0.225	/	120	6.450 ± 0.649	5	0.017	1.2E+01	3.2E-02	2.6E-02	0.00
StopN	300	195	0.350	/	170	0.055 ± 0.006	0	0.026	1.2E+00	7.0E-03	6.6E-03	0.00
StopN	400	120	0.300	/	250	0.318 ± 0.034	0	0.060	2.1E-01	3.8E-03	3.1E-03	0.00
StopN	500	115	0.200	/	290	1.700 ± 0.172	4	0.081	4.8E-02	4.3E-03	7.3E-03	1.48
StopN	600	115	0.300	/	320	0.102 ± 0.011	0	0.085	1.3E-02	2.3E-03	2.1E-03	0.00
StopN	700	120	0.225	/	370	0.289 ± 0.029	1	0.089	4.0E-03	2.5E-03	3.6E-03	1.03
StopN	800	50	0.025	/	390	96.900 ± 9.770	112	0.095	1.3E-03	2.5E-02	3.6E-02	0.01
GMStau	100	195	0.225	/	10	1.760 ± 0.177	1	0.000	1.9E+00	1.3E+00	1.0E+00	0.00
GMStau	126	145	0.350	/	40	0.216 ± 0.024	0	0.008	4.4E-01	2.6E-02	2.3E-02	0.00
GMStau	156	145	0.075	/	60	865.000 ± 86.600	1010	0.260	1.2E-01	6.1E-02	9.6E-02	1.53
GMStau	200	135	0.100	/	110	385.000 ± 38.500	454	0.451	2.7E-02	1.7E-02	2.7E-02	1.56
GMStau	247	125	0.250	/	150	4.170 ± 0.422	5	0.484	8.5E-03	9.7E-04	1.1E-03	0.39
GMStau	308	120	0.250	/	190	2.830 ± 0.288	1	0.595	2.4E-03	6.8E-04	4.6E-04	0.00
GMStau	370	185	0.250	/	230	0.664 ± 0.067	1	0.567	8.0E-04	4.7E-04	5.4E-04	2.26
PPStau	100	145	0.150	/	20	65.400 ± 6.540	83	0.008	3.8E-02	2.2E-01	3.8E-01	1.62
PPStau	126	185	0.300	/	40	0.269 ± 0.028	0	0.000	1.6E-02	8.4E-01	7.0E-01	0.00
PPStau	156	140	0.350	/	70	0.248 ± 0.028	0	0.076	7.0E-03	2.9E-03	2.4E-03	0.00
PPStau	200	135	0.250	/	100	4.540 ± 0.459	3	0.265	2.5E-03	1.8E-03	1.4E-03	0.00
PPStau	247	170	0.050	/	140	740.000 ± 74.000	851	0.517	1.0E-03	2.6E-02	4.0E-02	0.01

DCRho08HyperK	100	195	0.350	/	0	0.055 ± 0.006	0	0.000	1.4E+00	1.0E+00	9.5E-01	0.00
DCRho08HyperK	121	145	0.150	/	0	65.400 ± 6.540	83	0.032	9.8E-01	5.8E-02	9.9E-02	1.62
DCRho08HyperK	182	140	0.300	/	70	0.947 ± 0.099	0	0.092	5.6E-01	3.2E-03	2.2E-03	0.00
DCRho08HyperK	242	125	0.350	/	140	0.348 ± 0.040	0	0.314	4.9E-01	7.4E-04	6.0E-04	0.00
DCRho08HyperK	300	120	0.050	/	210	525.000 ± 52.600	641	0.868	4.6E-01	1.2E-02	2.1E-02	1.93
DCRho08HyperK	350	120	0.100	/	240	59.000 ± 5.910	74	0.739	4.7E-01	2.4E-03	3.9E-03	1.49
DCRho08HyperK	370	120	0.100	/	240	59.000 ± 5.910	74	0.521	4.8E-01	3.4E-03	5.5E-03	1.49
DCRho08HyperK	390	115	0.300	/	270	0.234 ± 0.025	0	0.061	4.7E-01	3.6E-03	3.0E-03	0.00
DCRho08HyperK	395	120	0.300	/	250	0.318 ± 0.034	0	0.037	4.2E-01	6.2E-03	5.1E-03	0.00
DCRho08HyperK	400	115	0.125	/	260	20.000 ± 2.000	28	0.297	4.7E-01	3.2E-03	5.4E-03	1.54
DCRho08HyperK	410	115	0.125	/	270	17.100 ± 1.720	22	0.555	6.1E-03	1.6E-03	2.3E-03	1.04
DCRho08HyperK	420	115	0.175	/	280	3.630 ± 0.366	7	0.611	3.5E-03	7.4E-04	1.3E-03	1.53
DCRho08HyperK	500	50	0.025	/	330	242.000 ± 24.300	305	0.814	2.8E-04	6.4E-03	1.2E-02	0.01
DCRho12HyperK	100	145	0.150	/	0	65.400 ± 6.540	83	0.008	8.3E-01	2.3E-01	4.0E-01	1.62
DCRho12HyperK	182	145	0.100	/	50	352.000 ± 35.200	421	0.204	1.7E-01	3.4E-02	5.7E-02	1.66
DCRho12HyperK	300	125	0.075	/	170	413.000 ± 41.400	495	0.601	8.0E-02	1.3E-02	2.2E-02	1.71
DCRho12HyperK	500	120	0.250	/	340	0.244 ± 0.025	1	0.867	6.4E-02	2.5E-04	3.7E-04	1.14
DCRho12HyperK	530	120	0.075	/	350	22.800 ± 2.290	24	0.858	6.5E-02	1.1E-03	1.3E-03	0.23
DCRho12HyperK	570	120	0.025	/	340	203.000 ± 20.300	260	0.365	6.6E-02	1.2E-02	2.4E-02	2.19
DCRho12HyperK	590	120	0.025	/	340	203.000 ± 20.300	260	0.057	6.1E-02	7.9E-02	1.5E-01	2.19
DCRho12HyperK	595	120	0.250	/	360	0.183 ± 0.019	1	0.035	5.0E-02	6.0E-03	9.4E-03	1.32
DCRho12HyperK	600	120	0.275	/	390	0.074 ± 0.008	0	0.310	2.6E-03	6.1E-04	5.6E-04	0.00
DCRho12HyperK	610	120	0.350	/	390	0.015 ± 0.002	0	0.506	1.3E-03	3.4E-04	3.4E-04	0.00
DCRho12HyperK	620	120	0.325	/	400	0.020 ± 0.002	0	0.581	5.7E-04	3.0E-04	2.9E-04	0.00
DCRho16HyperK	100	150	0.075	/	0	744.000 ± 74.400	883	0.033	7.1E-01	4.2E-01	7.0E-01	1.70
DCRho16HyperK	182	145	0.075	/	60	865.000 ± 86.600	1010	0.319	9.0E-02	5.0E-02	7.8E-02	1.53
DCRho16HyperK	300	125	0.350	/	160	0.315 ± 0.036	0	0.264	2.0E-02	8.6E-04	7.1E-04	0.00
DCRho16HyperK	500	115	0.300	/	320	0.102 ± 0.011	0	0.647	6.3E-03	3.0E-04	2.7E-04	0.00
DCRho16HyperK	700	125	0.275	/	460	0.030 ± 0.003	0	0.845	2.5E-03	2.1E-04	2.0E-04	0.00
DCRho16HyperK	730	125	0.275	/	460	0.030 ± 0.003	0	0.718	2.1E-03	2.5E-04	2.4E-04	0.00
DCRho16HyperK	770	125	0.075	/	440	6.280 ± 0.637	10	0.320	1.7E-03	1.7E-03	2.8E-03	1.32
DCRho16HyperK	790	125	0.125	/	430	1.500 ± 0.152	4	0.111	1.6E-03	3.0E-03	5.4E-03	1.67
DCRho16HyperK	795	125	0.350	/	460	0.006 ± 0.001	0	0.093	1.5E-03	1.8E-03	1.8E-03	0.00
DCRho16HyperK	800	130	0.075	/	490	3.390 ± 0.347	7	0.404	2.6E-04	1.1E-03	2.0E-03	1.68
DCRho16HyperK	810	135	0.325	/	500	0.006 ± 0.001	0	0.530	1.4E-04	3.2E-04	3.2E-04	0.00
DCRho16HyperK	820	140	0.325	/	500	0.006 ± 0.001	0	0.554	9.8E-05	3.1E-04	3.0E-04	0.00

Signal	Mass	Pt	Ias	TOF	mass cut	Pred	observ	eff	XSec Th	XSec Exp	XSec Obs	Significance
DY_{Q1o3}	500	50	0.175	/	80	632.000 ± 64.100	647	0.000	4.0E-05	1.0E+50	1.0E+50	10000000000000000007629769841091887003294964970946560.00
DY_{Q1o3}	600	50	0.125	/	120	611.000 ± 61.400	698	0.001	1.3E-05	1.0E+50	1.0E+50	100000000000000000007629769841091887003294964970946560.00
DY_{Q2o3}	100	85	0.325	/	30	3.380 ± 0.387	4	0.001	1.7E-01	6.7E-01	7.6E-01	0.32
DY_{Q2o3}	200	145	0.100	/	60	352.000 ± 35.200	421	0.042	1.2E-02	1.7E-01	3.0E-01	1.67
DY_{Q1}	100	145	0.225	/	40	6.720 ± 0.676	5	0.001	3.8E-01	5.0E-01	4.0E-01	0.00
DY_{Q1}	200	135	0.100	/	110	385.000 ± 38.500	454	0.297	2.7E-02	2.5E-02	4.1E-02	1.56
DY_{Q1}	300	120	0.250	/	190	2.830 ± 0.288	1	0.466	4.8E-03	8.7E-04	5.9E-04	0.00
DY_{Q1}	400	115	0.125	/	260	20.000 ± 2.000	28	0.628	1.2E-03	1.5E-03	2.6E-03	1.54
DY_{Q1}	500	125	0.050	/	330	76.400 ± 7.660	103	0.689	3.6E-04	3.1E-03	6.1E-03	2.15
DY_{Q1}	1000	50	0.025	/	580	7.400 ± 0.810	14	0.573	3.0E-06	1.1E-03	2.1E-03	0.00
DY_{Q2}	100	195	0.350	/	0	0.055 ± 0.006	0	0.004	1.5E+00	4.9E-02	4.6E-02	0.00
DY_{Q2}	200	195	0.350	/	20	0.055 ± 0.006	0	0.022	1.1E-01	8.5E-03	7.9E-03	0.00
DY_{Q2}	300	195	0.350	/	40	0.055 ± 0.006	0	0.062	1.9E-02	3.0E-03	2.8E-03	0.00
DY_{Q2}	400	195	0.350	/	80	0.055 ± 0.006	0	0.108	4.8E-03	1.7E-03	1.6E-03	0.00
DY_{Q2}	500	195	0.350	/	130	0.055 ± 0.006	0	0.151	1.4E-03	1.2E-03	1.1E-03	0.00
DY_{Q3}	100	190	0.350	/	40	0.063 ± 0.007	0	0.000	3.4E+00	7.2E-01	6.7E-01	0.00
DY_{Q3}	200	195	0.350	/	80	0.055 ± 0.006	0	0.001	2.4E-01	1.4E-01	1.3E-01	0.00
DY_{Q3}	300	195	0.350	/	120	0.055 ± 0.006	0	0.006	4.3E-02	3.3E-02	3.1E-02	0.00
DY_{Q3}	400	195	0.350	/	160	0.055 ± 0.006	0	0.016	1.1E-02	1.2E-02	1.1E-02	0.00
DY_{Q3}	500	195	0.350	/	200	0.052 ± 0.006	0	0.037	3.2E-03	5.0E-03	4.7E-03	0.00
DY_{Q3}	600	195	0.350	/	240	0.044 ± 0.005	0	0.066	1.1E-03	2.8E-03	2.6E-03	0.00
DY_{Q4}	100	195	0.350	/	230	0.046 ± 0.005	0	0.000	6.1E+00	3.1E+00	2.9E+00	0.00
DY_{Q4}	200	195	0.350	/	220	0.048 ± 0.005	0	0.000	4.3E-01	1.1E+00	1.1E+00	0.00
DY_{Q4}	300	195	0.350	/	240	0.044 ± 0.005	0	0.001	7.6E-02	1.6E-01	1.5E-01	0.00
DY_{Q4}	400	195	0.350	/	270	0.039 ± 0.004	0	0.003	1.9E-02	5.4E-02	5.2E-02	0.00
DY_{Q4}	500	195	0.350	/	290	0.035 ± 0.004	0	0.007	5.8E-03	2.5E-02	2.4E-02	0.00
DY_{Q4}	600	195	0.350	/	300	0.032 ± 0.004	0	0.015	1.9E-03	1.2E-02	1.2E-02	0.00
DY_{Q5}	100	195	0.350	/	260	0.041 ± 0.005	0	0.000	9.6E+00	3.4E+01	3.2E+01	0.00
DY_{Q5}	200	190	0.350	/	350	0.022 ± 0.003	0	0.000	6.8E-01	1.4E+01	1.4E+01	0.00
DY_{Q5}	300	195	0.350	/	320	0.027 ± 0.003	0	0.000	1.2E-01	8.5E-01	8.2E-01	0.00
DY_{Q5}	400	195	0.350	/	350	0.021 ± 0.003	0	0.001	3.0E-02	3.0E-01	2.9E-01	0.00
DY_{Q5}	500	50	0.025	/	360	150.000 ± 15.100	180	0.019	9.0E-03	1.8E-01	2.9E-01	0.01
DY_{Q6}	500	50	0.050	/	250	322.000 ± 32.200	448	0.001	1.3E-02	1.2E+01	2.8E+01	0.00
DY_{Q7}	300	50	0.050	/	1040	0.000 ± 0.000	1	0.000	2.3E-01	1.9E+01	3.7E+01	4.04
DY_{Q7}	800	50	0.025	/	270	697.000 ± 69.800	852	0.000	8.4E-04	1.0E+50	1.0E+50	10000000000000000007629769841091887003294964970946560.00
DY_{Q7}	900	50	0.025	/	520	17.800 ± 1.850	30	0.000	3.3E-04	1.0E+50	1.0E+50	10000000000000000007629769841091887003294964970946560.00