
Energy loss in TIB 005
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=1.12814e-07


Energy loss in TIB 051
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=2.50699e-17


Energy loss in TIB 115
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=1.82718e-11


Energy loss in TIB 152
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=2.60086e-08


Energy loss in TIB 225
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=0.0011659


Energy loss in TIB 253
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=1.60186e-08


Energy loss in TIB -050
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=1.02585e-10


Energy loss in TIB -105
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=1.58163e-10


Energy loss in TIB -151
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=6.17106e-05


Energy loss in TIB -215
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=0.00013961


Energy loss in TIB -252
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=1.55487e-09


Energy loss in TIB -325
Energy loss in FPIX -325
Energy loss in FPIX -325
KS=5.48386e-05